

Double Hung Units

Unit Dimension Rough Opening Call Size	Widths					
	1' - 9 3/8"	2' - 1 3/8"	2' - 5 3/8"	2' - 9 3/8"	3' - 1 3/8"	3' - 5 3/8"
	1' - 10 3/8"	2' - 2 3/8"	2' - 6 3/8"	2' - 10 3/8"	3' - 2 3/8"	3' - 6 3/8"
	1-8	2-0	2-4	2-8	3-0	3-4
3' - 0 1/8"	DH18210	DH20210	DH24210	DH28210	DH30210	DH34210
3' - 4 1/8"	DH1832	DH2032	DH2432	DH2832	DH3032	DH3432
4' - 0 7/8"	DH18310	DH20310	DH24310	DH28310	DH30310	DH34310
4' - 4 7/8"	DH1842	DH2042	DH2442	DH2842	DH3042	DH3442
4' - 8 7/8"	DH1846	DH2046	DH2446	DH2846	DH3046*	DH3446
5' - 4 7/8"	DH1852	DH2052	DH2452	DH2852	DH3052	DH3452
5' - 8 7/8"	DH1856E	DH2056E	DH2456E	DH2856E	DH3056E	DH3456E
5' - 8 7/8"	DH1856C	DH2056C	DH2456C	DH2856C	DH3056C	DH3456C
6' - 4 7/8"	DH1862	DH2062	DH2462	DH2862	DH3062	DH3462

**NOTE:**  
Shaded units satisfy ICC egress requirements. Check with your local code official to confirm egress requirements in your area.

\* Note: 3046 call size meets egress requirements only when configured with Easy-Tilt balance system.

# DOUBLE HUNG – OPERATING UNITS

		Widths						
		3'-6 3/4"	4'-2 3/4"	4'-10 3/4"	5'-6 3/4"	6'-2 3/4"	6'-10 3/4"	
		3'-7 3/4"	4'-3 3/4"	4'-11 3/4"	5'-7 3/4"	6'-3 3/4"	6'-11 3/4"	
		1-8 Twin	2-0 Twin	2-4 Twin	2-8 Twin	3-0 Twin	3-4 Twin	
Unit Dimension	Rough Opening	Call Size						
		Heights	3-0 9/16"	3-4 9/16"	4-0 9/16"	4-4 9/16"	4-8 9/16"	5'-4 9/16"
	2-10	DH18210-2	DH20210-2	DH24210-2	DH28210-2	DH30210-2	DH34210-2	
	3-2	DH1832-2	DH2032-2	DH2432-2	DH2832-2	DH3032-2	DH3432-2	
	3-10	DH18310-2	DH20310-2	DH24310-2	DH28310-2	DH30310-2	DH34310-2	
	4-2	DH1842-2	DH2042-2	DH2442-2	DH2842-2	DH3042-2	DH3442-2	
	4-6	DH1846-2	DH2046-2	DH2446-2	DH2846-2	DH3046-2	DH3446-2	
	5-2	DH1852-2	DH2052-2	DH2452-2	DH2852-2	DH3052-2	DH3452-2	
	5-6E	DH1856E-2	DH2056E-2	DH2456E-2	DH2856E-2	DH3056E-2	DH3456E-2	
	5-6C	DH1856C-2	DH2056C-2	DH2456C-2	DH2856C-2	DH3056C-2	DH3456C-2	
	6-2	DH1862-2	DH2062-2	DH2462-2	DH2862-2	DH3062-2	DH3462-2	

**NOTE:**  
 Shaded units satisfy ICC egress requirements. Check with your local code official to confirm egress requirements in your area.

\* Note: 3046 call size meets egress requirements only when configured with Easy-Tilt balance system.

**WHEN ORDERING ADD ONE OF THE FOLLOWING PREFIXES TO SPECIFY YOUR SELECTED PRODUCT:**  
 RV = Freedom 800    F60 = Freedom 600



# DOUBLE HUNG – OPERATING UNITS

## Widths

6' – 8 1/8"

7' – 0 1/8"

7' – 8 1/8"

8' – 8 1/8"

9' – 8 1/8"

6' – 9 1/8"

7' – 1 1/8"

7' – 9 1/8"

8' – 9 1/8"

9' – 9 1/8"

18/30

18/34

18/40

18/50

18/60

Unit Dimension  
Rough Opening  
Curb Size

3 – 0 9/16"

3 – 4 9/16"

4 – 0 9/16"

4 – 4 9/16"

4 – 8 9/16"

5' – 4 9/16"

5' – 8 9/16"

5' – 8 9/16"

6' – 4 9/16"

6 – 2

3 – 1 1/16"

3 – 5 1/16"

4 – 1 1/16"

4 – 5 1/16"

4 – 9 1/16"

5' – 5 1/16"

5' – 9 1/16"

5' – 9 1/16"

5 – 6C

6 – 2

2 – 10

3 – 2

3 – 10

4 – 2

4 – 6


5 – 2

5 – 6E


5 – 6C

5 – 6C

6 – 2



DH1830/210



DH1834/210




DH1840/210




DH1850/210



DH1860/210




DH1830/32



DH1834/32




DH1840/32




DH1850/32




DH1860/32




DH1830/310




DH1834/310




DH1840/310




DH1850/310




DH1860/310




DH1830/42




DH1834/42



DH1840/42



DH1850/42



DH1860/42



DH1830/46



DH1834/46



DH1840/46



DH1850/46



DH1860/46



DH1830/52



DH1834/52



DH1840/52



DH1850/52



DH1860/52



DH1830/56E



DH1834/56E



DH1840/56E




DH1850/56E




DH1860/56E



DH1830/56C



DH1834/56C




DH1840/56C




DH1850/56C




DH1860/56C



DH1830/62



DH1834/62



DH1840/62



DH1850/62



DH1860/62



DH1830/62



DH1834/62



DH1840/62







































DH1850/62



DH1860/62

# DOUBLE HUNG – OPERATING UNITS

		Widths			
		7' - 4 1/8"	7' - 8 1/8"	8' - 4 1/8"	9' - 4 1/8"
		7' - 5 1/8"	7' - 9 1/8"	8' - 5 1/8"	9' - 5 1/8"
		20/30	20/34	20/40	20/50
Heights	Unit Dimension Rough Opening Call Size	 DH2030/210	 DH2034/210	 DH2040/210	 DH2050/210
	3 - 0 9/16"	3 - 1 1/16"	3 - 1 1/16"	3 - 1 1/16"	3 - 1 1/16"
	3 - 4 9/16"	3 - 5 1/16"	3 - 5 1/16"	3 - 5 1/16"	3 - 5 1/16"
	4 - 0 9/16"	4 - 1 1/16"	4 - 1 1/16"	4 - 1 1/16"	4 - 1 1/16"
	4 - 4 9/16"	4 - 5 1/16"	4 - 5 1/16"	4 - 5 1/16"	4 - 5 1/16"
	4 - 8 9/16"	4 - 9 1/16"	4 - 9 1/16"	4 - 9 1/16"	4 - 9 1/16"
	5' - 4 9/16"	5' - 5 1/16"	5' - 5 1/16"	5' - 5 1/16"	5' - 5 1/16"
	5' - 8 9/16"	5' - 9 1/16"	5' - 9 1/16"	5' - 9 1/16"	5' - 9 1/16"
	5' - 8 9/16"	5' - 9 1/16"	5' - 9 1/16"	5' - 9 1/16"	5' - 9 1/16"
	6' - 4 9/16"	6' - 5 1/16"	6' - 5 1/16"	6' - 5 1/16"	6' - 5 1/16"
	2 - 10	2 - 10	2 - 10	2 - 10	
	3 - 2	3 - 2	3 - 2	3 - 2	
	3 - 10	3 - 10	3 - 10	3 - 10	
	4 - 2	4 - 2	4 - 2	4 - 2	
	4 - 6	4 - 6	4 - 6	4 - 6	
	5 - 2	5 - 2	5 - 2	5 - 2	
	5 - 6E	5 - 6E	5 - 6E	5 - 6E	
	5 - 6C	5 - 6C	5 - 6C	5 - 6C	
	6 - 2	6 - 2	6 - 2	6 - 2	
	 DH2030/32	 DH2034/32	 DH2040/32	 DH2050/32	
	 DH2030/310	 DH2034/310	 DH2040/310	 DH2050/310	
	 DH2030/42	 DH2034/42	 DH2040/42	 DH2050/42	
	 DH2030/46	 DH2034/46	 DH2040/46	 DH2050/46	
	 DH2030/52	 DH2034/52	 DH2040/52	 DH2050/52	
	 DH2030/56E	 DH2034/56E	 DH2040/56E	 DH2050/56E	
	 DH2030/56C	 DH2034/56C	 DH2040/56C	 DH2050/56C	
	 DH2030/62	 DH2034/62	 DH2040/62	 DH2050/62	

**WHEN ORDERING ADD ONE OF THE FOLLOWING PREFIXES TO SPECIFY YOUR SELECTED PRODUCT:**

**RV** = Freedom 800

**F60** = Freedom 600